

2025

Professional Dairy Managers of Pennsylvania (PDMP) Corn Silage Hybrid Performance Trial Results



Production Details: Penn State/PDMP Corn Silage Hybrid Evaluation Trials

Site:	Port Royal, PA
Cooperator	Reinford Farms
Planting Date	6/4/2025
Soil Type	Hagerstown silt loam
Herbicides	pre- 1 qt/ac Roundup, 1 PT/ac 2,4-D
	post- 2.1 qt/ac Storen, 1.4 qt/ac Atrazine, 1 qt/ac
Previous Crop	Soybeans
Tillage	None
Starter Fertilizer	15 gal UAN
Insecticide	None
Manure	9,000 gallons of cow manure
Fertilizer	120lbs N
Harvest Date	9/11/2025

Field Summary:

This field was slightly delayed at being planted due to the continual wet conditions. The emergence was average and minimal pest damage was present. Due to the drought that came later in the growing season, the corn had dried down faster than usual. This had left some of the shorter season varieties to be a little less than ideal on the moisture content.

Weather Summary:

Month	Precip. In.	GDD
June 4-June 30	3.4	588
July	3.2	783
August	0.9	562
September 1-11	0.0	143
Seasonal Total	7.5	2076

Precip. Data: <http://wunderground.com>

GDD data: <http://climatesmartfarming.org/tools/csf-growing-degree-day-calculator/>

PDMP Corn Silage Hybrid Testing Program 2025



Late maturity (111-118) day RM silage hybrids in Port Royal, PA

Notes: SEE BACKGROUND TAB

Cooperator: Reinford Farms

Brand	Hybrid	Traits ¹	Relative Maturity	Pop. Plants/ac	Dry Matter % ²	Crude Protein %DM	Lignin %DM	Ash %DM	Starch %DM	TFA %DM	NDFom %DM	uNDF 240 hr %DM	NDFD 30 %NDF	IVSD %Starch ³	Fresh Yield tons/ac ⁴	OM Yield tons/ac ⁵	DOM Yield tons/ac ⁶	OMD % ⁷
111-114 day hybrids																		
Mid-Atlantic	MA5144D	17	114	34,000	34.8	7.2	2.3	2.8	32.7	2.2	37.6	10.6	57.9	70.3	18.2	6.2	4.1	66.1
Dekalb	DKC61-80RIB	39	111	34,000	34.6	6.9	2.7	2.7	29.7	2.1	39.6	11.5	57.0	69.6	17.0	5.8	3.8	64.9
Seed Consultants	SC1135PCE	33	113	34,000	34.6	7.3	2.2	3.0	31.4	2.1	38.1	10.2	60.9	71.0	17.5	5.9	4.4	67.6
Advanta Seeds	XC24121	10	114	34,000	34.3	7.6	2.5	2.8	31.6	2.2	37.1	10.3	58.9	69.5	18.8	6.4	4.2	66.3
Kings Agriseeds	RedTail RT 64T39	17	114	34,000	33.9	7.7	2.2	2.9	33.0	2.1	36.2	9.9	58.7	69.4	17.6	6.0	4.0	66.6
Mid-Atlantic	MA6120PCE	32	112	34,000	33.6	7.6	2.3	2.9	29.9	2.2	39.3	11.0	59.7	70.1	19.9	6.8	4.5	66.6
Chemgro	7364PCE	33	113	34,000	33.6	7.4	2.2	2.5	34.9	2.4	34.3	9.3	60.2	70.3	19.1	6.5	4.4	67.4
Dekalb	DKC111-02RIB	40	111	34,000	33.5	7.5	2.3	2.7	33.2	2.3	35.8	9.7	59.3	70.5	20.8	7.1	4.8	67.1
Augusta	A2162	10	112	34,000	33.1	7.6	2.4	2.6	33.1	2.3	36.1	10.2	57.5	69.3	18.7	6.4	4.2	65.8
Growmark FS	INVISION FS 6349PC R	32	112	34,000	32.7	7.6	2.6	3.1	28.3	2.1	40.4	11.5	58.4	70.3	17.9	6.1	4.0	65.9
Advanta Seeds	XC24921	19	113	34,000	32.6	7.0	2.1	2.6	32.1	2.2	37.4	9.8	60.4	70.9	17.8	6.1	4.1	67.4
Seedway	SW 1331SP	42	113	34,000	32.6	7.3	2.6	2.5	31.1	2.1	37.1	11.6	55.4	70.3	19.0	6.5	4.2	64.9
Channel	213-53SSPRIB	40	113	34,000	32.5	7.3	2.0	2.5	35.8	2.3	32.9	8.7	60.2	70.6	18.3	6.2	4.2	67.9
Syngenta	NK1480-DV	19	114	34,000	32.4	7.6	2.3	2.7	31.0	2.2	38.2	11.2	57.8	69.5	18.5	6.3	4.1	65.6
Channel	214-95SSPRIB	40	114	34,000	31.8	7.4	2.3	2.7	31.4	2.2	36.2	10.4	58.6	70.4	20.4	6.9	4.6	66.4
Dekalb	DKC113-62RIB	40	113	34,000	31.7	7.4	2.6	2.7	28.3	2.1	39.8	12.3	56.3	70.3	18.7	6.4	4.1	64.8
Growmark FS	INVISION FS 6157T RII	43	111	34,000	30.9	7.6	2.5	3.1	26.6	2.1	40.5	12.8	54.2	69.2	17.1	5.8	3.6	63.1
Seedway	SW 1488TR	43	114	34,000	30.8	7.4	2.5	3.0	27.5	2.0	39.9	12.2	56.2	70.7	17.6	6.0	3.9	64.8
Pine Creek Seeds	R6317DV	19	113	34,000	30.6	7.4	2.4	3.0	27.5	1.9	39.9	12.3	56.6	71.0	17.3	5.9	3.8	65.1
Syngenta	E114C4-DV	19	114	34,000	30.6	7.4	2.2	2.9	27.2	1.9	38.6	10.6	58.9	70.4	18.7	6.4	4.2	66.1
Augusta	A1964	19	114	32,833	29.9	7.1	2.9	2.9	23.9	1.8	42.2	13.0	54.3	70.7	14.6	5.0	3.7	63.0
Tidewater Seed	66V66	33	112	34,000	28.9	7.0	2.5	2.7	24.6	1.7	40.8	12.2	56.4	71.4	17.8	6.1	3.9	64.4
111-114 day means					32.5	7.4	2.4	2.8	30.2	2.1	38.1	11.0	57.9	70.3	18.2	6.2	4.1	65.8
115-118 day hybrids																		
Revere	1627 TCRIB	53	116	34,000	35.8	7.5	2.1	2.6	35.4	2.4	33.5	9.1	60.0	69.2	18.9	6.4	4.3	66.9
Seed Consultants	SC1185V	40	118	34,000	34.9	7.6	2.0	2.7	32.8	2.3	35.4	9.5	61.5	70.0	19.1	6.5	4.4	67.9
Dekalb	DKC115-81RIB	40	115	34,000	33.6	7.2	2.3	2.6	29.1	2.2	39.7	11.3	59.1	69.7	19.4	6.6	4.4	66.0
Channel	215-84SSPRIB	39	115	34,000	32.7	7.2	2.0	2.7	29.8	2.1	38.1	10.3	61.0	71.5	19.1	6.5	4.4	67.7
Pine Creek Seeds	R6516PC	33	115	34,000	32.4	7.9	2.5	3.0	28.3	2.2	38.4	10.8	57.1	68.7	17.8	6.1	3.9	64.9
Chemgro	7769SSP	43	117	34,000	31.8	7.4	2.2	2.7	30.8	2.2	36.4	10.7	57.7	70.6	19.6	6.7	4.4	66.2
Tidewater Seed	64A29	43	115	34,000	31.3	7.0	2.5	2.6	28.1	2.0	39.4	11.9	55.7	69.1	17.1	5.8	3.7	63.9
Advanta Seeds	XC25231	45	117	34,000	31.2	7.6	2.1	3.1	27.2	1.9	37.0	10.4	59.0	71.2	18.6	6.3	4.2	66.6
Seedway	SW 1579SS	18	115	34,000	31.1	7.5	2.4	2.9	25.7	1.9	40.4	11.7	57.8	70.3	16.6	5.7	3.7	65.3
Revere	1839 TCRIB	19	118	34,000	30.9	7.5	3.2	3.1	24.5	1.9	45.6	15.1	52.1	69.1	16.4	5.6	3.4	61.2
Channel	215-40VT4PRIB	1	115	34,000	30.5	7.0	2.5	2.7	27.5	1.9	39.3	11.8	56.7	70.0	18.1	6.2	4.0	64.7
Stine Seed	9818-32	20	117	34,000	30.4	7.3	2.3	3.0	27.7	1.9	39.0	10.9	58.3	71.5	16.8	5.7	3.8	66.2
Syngenta	E117Z7-D	40	117	34,000	30.2	7.1	2.2	2.7	29.9	2.0	37.9	10.7	58.8	70.7	18.0	6.1	4.1	66.3
Stine Seed	9817-30	19	116	34,000	29.6	7.0	2.0	2.7	29.8	2.0	36.4	10.1	58.3	71.1	17.0	5.8	3.8	66.4

PDMP Corn Silage Hybrid Testing Program 2025



Late maturity (111-118) day RM silage hybrids in Port Royal, PA

Notes: SEE BACKGROUND TAB

Cooperator: Reinford Farms

Brand	Hybrid	Traits ¹	Relative Maturity	Pop. Plants/ac	Dry Matter % ²	Crude Protein %DM	Lignin %DM	Ash %DM	Starch %DM	TFA %DM	NDFom %DM	uNDF 240 hr %DM	NDFD 30 %NDF	IVSD %Starch ³	Fresh Yield tons/ac ⁴	OM Yield tons/ac ⁵	DOM Yield tons/ac ⁶	OMD % ⁷
Advanta Seeds	XC25343	48	117	34,000	29.5	7.1	2.4	2.9	26.0	1.9	38.7	11.2	57.7	70.1	17.7	6.0	3.9	65.2
Syngenta	E118K9-DV	43	118	34,000	29.2	7.4	2.5	2.9	26.8	1.9	38.0	11.4	55.9	70.7	18.1	6.2	4.0	64.8
115-118 day means					31.6	7.3	2.3	2.8	28.7	2.0	38.3	11.1	57.9	70.2	18.0	6.1	4.0	65.6
Overall Mean					32.1	7.4	2.4	2.8	29.6	2.1	38.2	11.0	57.9	70.2	18.1	6.2	4.1	65.7
LSD(0.1)					2.6	0.4	0.4	NS	5.1	0.3	4.1	1.7	3.3	1.0	NS	NS	0.5	1.9
CV%					6	4.4	11.5	9.4	12.7	9.8	7.9	11.7	4.2	1.0	10.3	10.3	9.0	2.2

¹ Traits: See tab " Trait Key" for individual trait designation.

² Dry Matter: Tables are sorted by dry matter. Avoid making comparisons with hybrids that differ significantly in dry matter.

³ IVSD: Starch digestibility (% of starch) is analyzed by an NIRS method on samples ground through a 4-mm screen and incubated for 7 hours (IVSD).

⁴ Fresh Yield: Silage yields are expressed on a 35 percent DM basis; all other parameters are expressed on a dry matter basis.

⁵ OM Yield: Silage yield (tons/ac) expressed on an organic matter (OM) basis.

⁶ DOM Yield: Yield of digestible organic matter.

⁷ OMD: Organic Matter Digestibility - Please see "OMD Story" tab for information on how to use this column

NS = Not Significant

Prepared by: Alex Hristov (PSU Animal Sciences), Sergio Francisco (Cargill), Chris Canale (Cargill), Hanna Wells(PSU Plant Science), Dayton Spackman (PSU Plant Science), Cassidy Bumbaugh (PSU Plant Science), Charlie White (PSU Plant Science)

The Handy Bt Trait Table for U.S. Corn Production

Updated August 2025

Compiled by
Chris DiFonzo
Michigan State University

Web site hosted by
Pat Porter
Texas A&M University

The most up-to-date version and related extension materials are free online at:
www.texasinsects.org/bt-corn-trait-table.html Questions? difonzo@msu.edu

Trait Key #	TABLE 2 Principal trait packages available in the U.S. (alternate names in parentheses)	letter code	Traits in the package ***** Font type denotes target: caterpillar or rootworm	Expected control by traits in the package *one or more remain effective (x) *resistance to all, widespread (R) / localized(RL)												Refuge in northern states (higher in the south)	Weed control Trait *check bag tag
				B	C	E	F	S	S	W	T	W	N	W			
				C	E	C	A	B	C	C	A	B	C	C			
0	Conventional	C															
3	AcreMax	AM	Cry1Ab Cry1F	x	R	RL	RL	x	x	RL		R			5% blend	GLY LL	
4	AcreMax Leptra	AML	Cry1Ab Cry1F Vip3A	x	x	RL	x	x	x	x	x				5% blend	GLY LL	
6	AcreMax Xtra	AMX	Cry1Ab Cry1F Cry34/35Ab1	x	R	RL	RL	x	x	RL		R	RL	R	10% blend	GLY LL	
7	AcreMax Xtreme	AMXT	Cry1Ab Cry1F Cry34/35Ab1 mCry3A	x		RL	RL	x	x	RL		R	x	R	5% blend	GLY LL	
11+12	Agrisure Above (Agrisure3120EZ) AA Refuge Renew (Agrisure3120)	AA	Cry1Ab Cry1F	x	R	RL	RL	x	x	RL		R			5% blend Renew: 5%	GLY LL*	
13+14	Agrisure Total (Agrisure3122EZ) AT Refuge Renew (Agrisure3122)	AT	Cry1Ab Cry1F Cry34/35Ab1 mCry3A	x	R	RL	RL	x	x	RL		R	x	R	5% blend Renew: 5%	GLY LL*	
15	Agrisure Viptera 3110	3110	Cry1Ab Vip3A	x	x	RL	x	x	x	x	x	x			20%	GLY LL	
16	Agrisure Viptera 3111	3111	Cry1Ab Vip3A mCry3A	x	x	RL	x	x	x	x	x	x	x	R	20%	GLY LL	
17+18	Duracade (Agrisure5122EZ) D Refuge Renew (Agrisure5122)	D	Cry1Ab Cry1F eCry3.1Ab mCry3A	x	R	RL	RL	x	x	RL		R	x	R	5% blend Renew: 5%	GLY LL*	
19+20	Duracade Viptera (Agrisure5222EZ) DV Refuge Renew (Agrisure 5222)	DV	Cry1Ab Cry1F Vip3A eCry3.1Ab mCry3A	x	x	RL	x	x	x	x	x	x	x	R	5% blend Renew: 5%	GLY LL*	
21+22	Duracade Viptera Z3 (Agrisure5332EZ) DVZ Refuge Renew (Agrisure5332)	DVZ	Cry1Ab Cry1A.105 Cry2Ab2 Vip3A eCry3.1Ab mCry3A	x	x	RL	x	x	x	x	x	x	x	R	5% blend Renew: 5%	GLY LL*	
29	Intrasect	YHR	Cry1Ab Cry1F	x	R	RL	RL	x	x	RL		R			5%	GLY LL	
30	Leptra	VYHR	Cry1Ab Cry1F Vip3A	x	x	RL	x	x	x	x	x	x			5%	GLY LL	
32	PowerCore Refuge Adv.	PWRA	Cry1A.105 Cry2Ab2 Cry1F	x	R	RL	x	x	x	RL		R			5% blend	GLY LL	
33	PowerCore Enlist or Enlist Refuge Advanced	PWE PCE	Cry1A.105 Cry2Ab2 Cry1F	x	R	RL	x	x	x	RL		R			5% Adv 5% blend	GLY LL Enlist	
57	PowerCore Ultra Enlist or Ultra Enlist Refuge Advanced	PWUE PCUE	Cry1A.105 Cry2Ab2 Cry1F Vip3A	x	x	RL	x	x	x	x	x	x			5% Adv 5% blend	GLY LL Enlist	
34	QROME	Q	Cry1Ab Cry1F Cry34/35Ab1 mCry3A	x	R	RL	RL	x	x	RL		R	x	R	5% blend	GLY LL	
35	SmartStax or Genuity SS	SS SX	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1	x	R	RL	x	x	x	RL		R	RL	R	5%	GLY LL	
36	SmartStax Enlist SS Enlist Refuge Advanced	SSE	Same as SmartStax	x	R	RL	x	x	x	RL		R	RL	R	5% Adv 5% blend	GLY LL Enlist	
38	SmartStax Refuge Advanced SmartStax RIB Complete	SXRA	Same as SmartStax	x	R	RL	x	x	x	RL		R	RL	R	5% blend	GLY LL	
40	SmartStax PRO	SSPro	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1 dvSnf7	x	R	RL	x	x	x	RL		R	x	x	5%	GLY LL	
41	SmartStax PRO Enlist SSPro Enlist Refuge Advanced	SSPro	Same as SmartStax Pro	x	R	RL	x	x	x	RL		R	x	x	5% Adv 5% blend	GLY LL Enlist	
42	SmartStax PRO Refuge Advanced RIB Complete or w/RNAi Tech	SSPro	Same as SmartStax Pro	x	R	RL	x	x	x	RL		R	x	x	5% blend	GLY LL	
43	Trecepta RIB Complete	TRERIB	Cry1A.105 Cry2Ab2 Vip3A	x	x	RL	x	x	x	x	x	x			5% blend	GLY	
44+45	Viptera (Agrisure3220EZ) Vip Refuge Renew (Agrisure3220)	V	Cry1Ab Cry1F Vip3A	x	x	RL	x	x	x	x	x	x			5% blend Renew: 5%	GLY LL*	
46+47	Viptera Z3 (Agrisure3330EZ) VZ Refuge Renew (Agrisure3330)	VZ	Cry1Ab Cry1A.105 Cry2Ab2 Vip3A	x	x	RL	x	x	x	x	x	x			5% blend Renew: 5%	GLY LL*	
48	Vorceed Enlist	V	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1 dvSnf7	x	R	RL	x	x	x	RL		R	x	x	5% blend	GLY LL Enlist	
NA	Vorceed Enlist Structured - Expected in 2026	VS	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1 dvSnf7	x	R	RL	x	x	x	RL		R	x	x	5%	GLY LL Enlist	
49	VT Double PRO	VT2P	Cry1A.105 Cry2Ab2		R	RL	x	x	x	RL					5%	GLY	
50	VT2 PRO RIB Complete	VT2PRIB	Cry1A.105 Cry2Ab2		R	RL	x	x	x	RL					5% blend	GLY	
52	VT3 PRO RIB Complete	VT3PRIB	Cry1A.105 Cry2Ab2 Cry3Bb1		R	RL	x	x	x	RL			RL	R	10% blend	GLY	
53	VT4 PRO w/RNAi Technology	VT4PRO	Cry1A.105 Cry2Ab2 Vip3A Cry3Bb1 dvSnf7	x	x	RL	x	x	x	x	x	x	x	x	5% blend	GLY	

The OMD Index

The digestibility of nutrients in corn silage is paramount when determining nutritional value. Starch and NDF are responsible for much of the digestible energy in corn silage. In order to give dairy producers and nutritionist a tool to evaluate corn silage hybrids, we developed a new digestibility index, called the Organic Matter Digestibility Index (OMDI or just OMD), and is based on digestibility of protein, fat, NDF, and starch. The sum of which makes up approximately 86-88% of the organic matter in corn silage.

The OMD index represents the digestible portion of silage organic matter and is based on chemical analyses only. It does not predict dry matter intake or milk production, although numerous studies clearly show that digestibility of forage organic matter is directly related to lactation performance of dairy cows. The OMD index does not represent the absolute digestibility of silage organic matter, as this can be reliably determined only in experiments with live animals. But, OMD is representative of the potentially digestible organic matter of the whole plant and can be used to compare silage hybrids. Furthermore, simulation analyses using the Cornell Net Carbohydrate and Protein System (CNCPS v. 6.55; Cornell University, Ithaca, NY) show that OMD correlates reasonably well with model-predicted milk production of dairy cows fed a standard diet containing approx. 40% corn silage (dry matter basis).

How is the OMD Index Used?

Feeding value of corn silage is mostly associated with digestibility of NDF or starch. A long-standing goal of PDMP is to create a single measure of silage nutritive value using several variables associated with digestibility. Traditional variables, crude protein (accounted for fiber-bound nitrogen), NDF, starch, lignin, and fat, are combined with digestibility determinations for NDF (NDFD30*) and starch (IVSD; 7-hour, 1-mm grind). Once combined, these digestibility coefficients sum to predict OMD.

The OMD Index is calculated using the following equation: $OMDI (\%) = \{[(\text{crude protein} - \text{NDICP}) \times 0.89] + (\text{total fatty acids} \times 0.75) + (\text{starch} \times \text{IVSD} \div 100) + [(a\text{NDFom} - \text{lignin}) \times \text{NDFD30} \div 100]\} \div [(\text{crude protein} - \text{NDICP}) + \text{total fatty acids} + \text{starch} + (a\text{NDFom} - \text{lignin})] \times 100$.

Where: OMDI (%) is Organic Matter Digestibility Index; crude protein, total fatty acids, starch, NDICP (NDF-bound crude protein), aNDFom (ash-free basis, amylase-treated NDF), and lignin (ash-free) are expressed as % of corn silage dry matter; 0.89 is assumed (based on literature data) coefficient of digestibility of silage crude protein; 0.75 is assumed (based on literature data) coefficient of digestibility of silage total fatty acids; IVSD is starch digestibility (by NIRS at 7-hour and sample ground through a 4-mm sieve) expressed as % of starch; and NDFD30.

Use of OMDI: The OMD index is intended to represent the digestible portion of silage dry matter and is based on chemical analyses. OMD does not represent the absolute digestibility of silage organic matter, but it is representative of the potentially digestible organic matter and can be used when comparing silage hybrids. ***Simply put, the higher the OMD value, the higher the overall expected digestibility of the silage.*** OMD reflects the digestibility of key nutrients within the entire plant. Producers without carryover of silage should consider the interaction of OMD and DOM (digestible organic matter yield per acre) as yield of digestible organic matter will be equally as relevant as OMD.

Conclusion

Organic matter digestibility is not a new measure. For years, researchers and nutritionists have used digestibility estimates to formulate rations for dairy cattle. Today, integrating these data is a useful practice to gauge silage value and match hybrid to farm needs. Put simply, OMD measures whole plant digestibility. Emphasis is on digestibility of all main nutrients. In the end, we hope OMD serves to facilitate discussion among producer, seed consultant, and dairy nutritionist as to which hybrids offer the best nutrient value for dairy cows.