
# 2025

# Professional Dairy Managers of Pennsylvania (PDMP)

Corn Silage Hybrid Performance
Trial Results



Prepared by: Alex Hristov (PSU Animal Sciences), Sergio Francisco (Cargill), Chris Canale (Cargill), Hanna Wells(PSU Plant Science), Dayton Spackman (PSU Plant Science), Cassidy Bumbaugh (PSU Plant Science)

Production De	tails	: Penn State/PDMP Corn Silage Hybrid Evaluation Trials								
Site:		Loganton, PA								
Cooperator		Schrack Farms Resources								
Planting Date		6/3/2025								
Soil Type										
Herbicides	ore-	2.58 qt Biceptll Magnum, 5 fl oz Explorer, 32 fl oz Gramoxone Interon								
	post-	32 oz Roundup Powermax								
Previous Crop		Corn								
Tillage		No tillage								
Starter Fertilizer		15 gal UAN								
Insecticide		Defcon 4.67								
Manure		8712 gal/a Dairy Liquid Manure								
Fertilizer		22.42 gal 30% N solution+ B (.5#) + S(12#)								
Harvest Date		9/17/2025								

### Field Summary:

Signs of poor pollination were present in the form of dwarf ears. There was significant drought stress present. Due to equipment breakdown harvest was extended an additional week. Despite the breakdown, dry matter was still ok, although some hybrids were on the drier side.

<b>Weather Summa</b>	iry:	
Month	Precip. In.	GDD
June 3 - 30	6.0	515
July	3.4	685
August	2.0	480
September 1 - 17	0.1	189
Seasonal Total	11.5	1869
Precip. Data:	http://wundergro	und.com
GDD data:	http://climatesma	artfarming.oı

## **PDMP Corn Silage Hybrid Testing Program 2025**

PROFESSIONAL DAIRY MANAGERS OF PENNSYLVANIA in collaboration with

Early maturity (88-103) day RM silage hybrids in Loganton, PA

Notes: SEE BACKGROUND TAB
Cooperator: Schrack Farms

PennState Extension
College of Agricultural Sciences

Cooperator com active															•			
			Relative	Pop.	Dry Matter	Crude Protein	Lignin	Ash	Starch	TFA	NDFom	uNDF 240 hr	NDFD 30	IVSD	Fresh Yield	OM Yield	DOM Yield	OMD
Brand	Hybrid	Traits <sup>1</sup>	Maturity	Plants/ac	% <sup>2</sup>	%DM	%DM	%DM	%DM	%DM	%DM	%DM	%NDF	%Starch <sup>3</sup>	tons/ac⁴	tons/ac <sup>5</sup>	tons/ac <sup>6</sup>	% <sup>7</sup>
88-97 day hybrids																		
Seed Consultants	SC946PCE	33	94	34,000	40.7	7.0	2.1	3.1	34.9	2.1	35.2	9.6	58.7	70.3	14.9	5.0	3.4	66.8
Kings Agriseeds	RedTail RT 38T89	17	88	34,000	40.2	7.7	2.2	3.2	33.7	2.3	35.2	9.8	59.1	68.8	13.7	4.7	3.1	66.4
Pine Creek Seeds	R9115V	44	91	34,000	39.9	7.5	2.1	3.2	35.2	2.4	32.8	9.8	58.3	69.0	12.9	4.4	2.9	66.4
Seed Consultants	SC976PCE	33	97	34,000	39.9	7.2	2.2	3.2	36.1	2.3	34.6	9.7	58.7	69.9	14.8	5.0	3.3	66.7
Channel	193-40VT4PRIB	53	93	34,000	39.8	6.9	1.9	2.8	35.6	2.4	35.1	9.5	61.9	70.4	15.7	5.3	3.7	68.2
Kings Agriseeds	RedTail RT 45T09	19	95	34,000	39.6	7.4	2.0	3.1	34.0	2.3	34.2	9.2	61.0	69.2	14.6	4.9	3.3	67.4
Syngenta	E097K6-D	17	97	34,000	39.4	7.3	2.0	3.2	33.1	2.4	36.4	9.8	61.5	71.5	12.6	4.3	2.9	67.9
Seed Consultants	SC964PCE	33	96	34,000	38.9	7.1	2.0	3.2	36.4	2.2	34.9	9.3	60.3	70.6	16.8	5.7	3.9	67.7
Shur Grow Seeds	SG5788DV	19	97	34,000	37.7	6.9	2.4	3.3	32.6	2.1	37.5	10.4	60.0	71.0	13.6	4.6	3.1	67.2
Revere	091-P42RIB	50	91	34,000	37.4	7.2	2.1	3.5	30.2	2.1	39.6	10.3	63.2	70.3	14.5	4.9	3.3	68.4
Channel	193-42VT4PRIB	53	93	34,000	37.3	6.5	1.7	2.5	36.6	2.3	34.0	8.5	63.1	71.3	14.7	5.0	3.5	69.1
Channel	197-99SSPRIB	40	97	34,000	37.3	6.3	1.9	2.8	33.5	2.2	37.7	9.3	64.1	70.2	14.4	4.9	3.4	68.7
Syngenta	NK9771-DV	21	97	34,000	37.0	7.4	2.2	3.1	33.4	2.2	35.1	10.0	58.4	69.2	16.0	5.4	3.6	66.2
Growmark FS	INVISION FS 4559PC	32	95	34,000	36.2	7.0	2.2	3.2	32.9	2.0	35.2	9.7	59.0	71.1	15.1	5.1	3.4	67.1
Dekalb	DKC093-05RIB	39	93	34,000	35.6	6.9	2.0	3.3	30.3	2.1	37.6	8.9	64.8	71.4	12.9	4.4	3.0	69.6
Revere	093-V37EZ	44	93	34,000	34.2	7.1	2.1	3.2	31.9	2.1	36.2	9.3	60.4	72.0	12.3	4.2	2.8	67.9
Shur Grow Seeds	SG5440DV	19	94	34,000	33.4	7.5	2.1	3.3	31.5	2.1	34.4	9.9	58.3	71.0	13.8	4.7	3.1	67.0
			88-9	7 day means	37.9	7.1	2.1	3.1	33.6	2.2	35.6	9.6	60.6	70.4	14.3	4.9	3.3	67.6
98-103 day hybrids																		
Revere	9827SSXRIB	39	98	34,000	37.3	7.2	2.0	3.1	32.3	2.2	36.8	9.7	62.0	70.3	14.9	5.0	3.4	68.0
Dekalb	DKC098-55RIB	39	98	34,000	37.2	7.0	1.9	2.9	34.7	2.3	34.8	9.1	62.0	71.0	15.3	5.2	3.6	68.6
Pine Creek Seeds	R9916PC	33	99	34,000	37.2	7.7	2.0	3.3	33.4	2.1	33.9	9.0	60.8	70.4	12.6	4.3	2.9	68.0
Seed Consultants	SC1006PCE	33	100	34,000	37.2	7.6	1.8	3.5	31.2	2.2	36.1	9.1	64.5	69.4	14.9	5.0	3.5	68.8
Pine Creek Seeds	R9917DV	19	99	34,000	36.9	7.7	2.2	3.5	32.4	2.0	35.5	10.5	56.3	70.8	15.8	5.3	3.5	65.9
Dekalb	DKC101-33RIB	40	101	34,000	36.4	7.1	2.0	3.0	35.2	2.2	34.3	8.7	63.1	71.0	15.3	5.2	3.6	69.1
Channel	198-99SSPRIB	40	98	34,000	35.8	6.7	2.0	3.0	32.3	2.1	37.4	9.3	62.2	70.5	14.7	5.0	3.4	68.0
Chemgro	6364PCE	33	103	34,000	35.8	6.6	2.0	3.0	34.2	2.2	36.6	9.2	63.6	70.6	15.6	5.3	3.7	68.8
Growmark FS	INVISION FS 5159PC	32	101	34,000	35.2	6.8	1.8	3.0	35.4	2.2	33.9	8.2	64.0	70.2	14.3	4.8	3.4	69.1
Shur Grow Seeds	SG5885PCE	33	98	34,000	34.7	6.7	2.1	3.3	29.2	1.8	38.2	10.0	60.6	72.2	13.4	4.5	3.1	67.7
			98-10	3 day means	36.4	7.1	2.0	3.2	33.0	2.1	35.8	9.3	61.9	70.6	14.7	5.0	3.4	68.2
			(	Overall Mean	37.3	7.1	2.0	3.1	33.4	2.2	35.7	9.5	61.1	70.5	14.5	4.9	3.3	67.8
				LSD(0.1)	2.1	0.6	0.3	0.4	3.5	0.3	NS	1.1	3.2	1.0	1.8	0.6	0.4	1.4
				CV%	4.1	6.7	10.1	10.3	7.6	8.5	6.4	8.1	3.9	1.1	9.2	9.3	9.3	1.5

<sup>&</sup>lt;sup>1</sup> Traits: See tab " Trait Key" for individual trait designation.

<sup>&</sup>lt;sup>2</sup> Dry Matter: Tables are sorted by dry matter. Avoid making comparisons with hybrids that differ significantly in dry matter.

<sup>&</sup>lt;sup>3</sup> IVSD: Starch digestibiliy (% of starch) is analyzed by an NIRS method on samples ground through a 4-mm screen and incubated for 7 hours (IVSD).

 $<sup>^4</sup>$  **Fresh Yield:** Silage yields are expressed on a 35 percent DM basis; all other parameters are expressed on a dry matter basis.

<sup>&</sup>lt;sup>5</sup> **OM Yield:** Silage yield (tons/ac) expressed on an organic matter (OM) basis.

<sup>6</sup> **DOM Yield:** Yield of digestible organic matter.

<sup>7</sup>OMD: Organic Matter Digestibility - Please see "OMD Story" tab for information on how to use this column

NS = Not Significant

Prepared by: Alex Hristov (PSU Animal Sciences), Sergio Francisco (Cargill), Chris Canale (Cargill), Hanna Wells(PSU Plant Science), Dayton Spackman (PSU Plant Science), Cassidy Bumbaugh (PSU Plant Science), Charlie White (PSU Plant Science)

Compiled by Chris DiFonzo

Web site hosted by Pat Porter Michigan State University Texas A&M University

The most up-to-date version and related extension materials are free online at: www.texasinsects.org/bt-corn-trait-table.html Questions? difonzo@msu.edu

	TABLE 2		Traits in the package		Expected control by traits in thepackage  *one or more remain effective (x)  *resistance to all, widespread (R) / localized(RL)											Weed control	
#	Principal trait packages available in the U.S. (alternate names in parentheses)	letter code	Font type denotes target: caterpillar or <i>rootworm</i>	B C W	C E W	E C B	F A W	S B	s S C B	s w c B	T A W	W B C	ed(R N C R	L) W C R	northern states (higher in the south)	Trait *check bag tag	
0	Conventional	С													50/11		
3	AcreMax	AM	Cry1Ab Cry1F	х	R	RL	RL	х	х	RL		R	_		5% blend	GLY LL	
4	AcreMax Leptra	AML	Cry1Ab Cry1F Vip3A Cry1Ab Cry1F Cry34/35Ab1	X	x R	RL RL	X RL	Х	X	X RL	х	X R	RL	R	5% blend 10% blend	GLY LL GLY LL	
6	AcreMax Xtra	AMX	Cry1Ab Cry1F Cry34/35Ab1	×	К	KL	KL	х	х	KL		K	KL	K	10% blend	GLY LL	
7	AcreMax Xtreme	AMXT	Cry1Ab Cry1F Cry34/35Ab1 mCry3A	х		RL	RL	х	х	RL		R	х	R	5% blend	GLY LL	
11+12	Agrisure Above (Agrisure3120EZ)  AA Refuge Renew (Agrisure3120)	AA	Cry1Ab Cry1F	×	R	RL	RL	х	х	RL		R			5% blend Renew: 5%	GLY LL*	
13+14	Agrisure Total (Agrisure3122EZ) AT Refuge Renew (Agrisure3122)	AT	Cry1Ab Cry1F Cry34/35Ab1 mCry3A	х	R	RL	RL	х	х	RL		R	х	R	5% blend Renew: 5%	GLY LL*	
15	Agrisure Viptera 3110	3110	Cry1Ab Vip3A	х	х	RL	х	х	х	х	х	х			20%	GLY LL	
16	Agrisure Viptera 3111	3111	Cry1Ab Vip3A <i>mCry3A</i>	х	х	RL	х	х	х	х	х	х	х	R	20%	GLY LL	
17+18	Duracade (Agrisure5122EZ) D Refuge Renew (Agrisure5122)	D	Cry1Ab Cry1F eCry3.1Ab mCry3A	х	R	RL	RL	х	х	RL		R	х	R	5% blend Renew: 5%	GLY LL*	
19+20	Duracade Viptera (Agrisure5222EZ) DV Refuge Renew (Agrisure5222)	DV	Cry1Ab Cry1F Vip3A eCry3.1Ab mCry3A	×	х	RL	х	х	х	х	х	х	х	R	5% blend Renew: 5%	GLY LL*	
21+22	Duracade Viptera Z3 (Agrisure5332EZ) DVZ Refuge Renew (Agrisure5332)	DVZ	Cry1Ab Cry1A.105 Cry2Ab2 Vip3A eCry3.1Ab mCry3A	х	х	RL	х	х	х	х	х	х	х	R	5% blend Renew: 5%	GLY LL*	
29	Intrasect	YHR	Cry1Ab Cry1F	×	R	RL	RL	х	х	RL		R			5%	GLY LL	
30	Leptra	VYHR	Cry1Ab Cry1F Vip3A	×	х	RL	х	х	х	х	х	х			5%	GLY LL	
32	PowerCore Refuge Adv.	PWRA	Cry1A.105 Cry2Ab2 Cry1F	×	R	RL	х	х	х	RL		R			5% blend	GLY LL	
33	PowerCore Enlist or Enlist Refuge Advanced	PWE PCF	Cry1A.105 Cry2Ab2 Cry1F	х	R	RL	х	х	х	RL		R			5% Adv 5% blend	GLY LL Enlist	
57	PowerCore Ultra Enlist or Ultra Enlist Refuge Advanced	PWUE PCUE	Cry1A.105 Cry2Ab2 Cry1F Vip3A	x	х	RL	х	х	х	х	х	х			5% Adv 5% blend	GLY LL Enlist	
34	QROME	Q	Cry1Ab Cry1F Cry34/35Ab1 mCry3A	х	R	RL	RL	х	х	RL		R	х	R	5% blend	GLY LL	
35	SmartStax or Genuity SS	SS SX	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1	х	R	RL	х	х	х	RL		R	RL	R	5%	GLY LL	
36	SmartStax Enlist SS Enlist Refuge Advanced	SSE	Same as SmartStax	х	R	RL	х	х	х	RL		R	RL	R	5% Adv 5% blend	GLY LL Enlist	
38	SmartStax Refuge Advanced SmartStax RIB Complete	SXRA	Same as SmartStax	×	R	RL	х	х	х	RL		R	RL	R	5% blend	GLY LL	
40	SmartStax PRO	SSPro	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1 dvSnf7	×	R	RL	х	х	×	RL		R	х	×	5%	GLY LL	
41	SmartStax PRO Enlist SSPro Enlist Refuge Advanced	SSPro	Same as SmartStax Pro	×	R	RL	х	х	х	RL		R	х	х	5% Adv 5% blend	GLY LL Enlist	
42	SmartStax PRO Refuge Advanced RIB Complete or w/RNAi Tech	SSPro	Same as SmartStax Pro	x	R	RL	х	х	х	RL		R	х	х	5% blend	GLY LL	
43	Trecepta RIB Complete	TRERIB	Cry1A.105 Cry2Ab2 Vip3A	x	х	RL	х	х	х	х	х	х			5% blend	GLY	
44+45	Viptera (Agrisure3220EZ) Vip Refuge Renew (Agrisure3220)	V	Cry1Ab Cry1F Vip3A	х	х	RL	х	х	х	х	х	×			5% blend Renew: 5%	GLY LL*	
46+47	Viptera Z3 (Agrisure3330EZ) VZ Refuge Renew (Agrisure3330)	VZ	Cry1Ab Cry1A.105 Cry2Ab2 Vip3A	x	х	RL	х	х	х	х	х	х			5% blend Renew: 5%	GLY LL*	
48	Vorceed Enlist	V	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1 dvSnf7	х	R	RL	х	х	х	RL		R	х	х	5% blend	GLY LL Enlist	
NA	Vorceed Enlist Structured - Expected in 2026	VS	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1 dvSnf7	х	R	RL	х	х	х	RL		R	х	х	5%	GLY LL Enlist	
49	VT Double PRO	VT2P	Cry1A.105 Cry2Ab2		R	RL	х	х	х	RL					5%	GLY	
50	VT2 PRO RIB Complete	VT2PRIB	Cry1A.105 Cry2Ab2		R	RL	х	х	х	RL					5% blend	GLY	
52	VT3 PRO RIB Complete	VT3PRIB	Cry1A.105 Cry2Ab2 Cry3Bb1		R	RL	х	х	х	RL			RL	R	10% blend	GLY	
53	VT4 PRO w/RNAi Technology	VT4PRO	Cry1A.105 Cry2Ab2 Vip3A Cry3Bb1 dvSnf7	×	х	RL	х	х	х	х	×	×	×	х	5% blend	GLY	

## The OMD Index

The digestibility of nutrients in corn silage is paramount when determining nutritional value. Starch and NDF are responsible for much of the digestible energy in corn silage. In order to give dairy producers and nutritionist a tool to evaluate corn silage hybrids, we developed a new digestibility index, called the Organic Matter Digestibility Index (OMDI or just OMD), and is based on digestibility of protein, fat, NDF, and starch. The sum of which makes up approximately 86-88% of the organic matter in corn silage.

The OMD index represents the digestible portion of silage organic matter and is based on chemical analyses only. It does not predict dry matter intake or milk production, although numerous studies clearly show that digestibility of forage organic matter is directly related to lactation performance of dairy cows. The OMD index does not represent the absolute digestibility of silage organic matter, as this can be reliably determined only in experiments with live animals.

But, OMD is representative of the potentially digestible organic matter of the whole plant and can be used to compare silage hybrids. Furthermore, simulation analyses using the Cornell Net Carbohydrate and Protein System (CNCPS v. 6.55; Cornell University, Ithaca, NY) show that OMD correlates reasonably well with model-predicted milk production of dairy cows fed a standard diet containing approx. 40% corn silage (dry matter basis).

### How is the OMD Index Used?

Feeding value of corn silage is mostly associated with digestibility of NDF or starch. A long-standing goal of PDMP is to create a single measure of silage nutritive value using several variables associated with digestibility. Traditional variables, crude protein (accounted for fiber-bound nitrogen), NDF, starch, lignin, and fat, are combined with digestibility determinations for NDF (NDFD30\*) and starch (IVSD; 7-hour, 1-mm grind). Once combined, these digestibility coefficients sum to predict OMD.

The OMD Index is calculated using the following equation: OMDI (%) = {[(crude protein – NDICP)  $\times$  0.89] + (total fatty acids  $\times$  0.75) + (starch  $\times$  IVSD  $\div$  100) + [(aNDFom - lignin)  $\times$  NDFD30  $\div$  100)]}  $\div$  [(crude protein – NDICP) + total fatty acids + starch + (aNDFom – lignin)]  $\times$  100.

Where: OMDI (%) is Organic Matter Digestibility Index; crude protein, total fatty acids, starch, NDICP (NDF-bound crude protein), aNDFom (ash-free basis, amylase-treated NDF), and lignin (ash-free) are expressed as % of corn silage dry matter; 0.89 is assumed (based on literature data) coefficient of digestibility of silage crude protein; 0.75 is assumed (based on literature data) coefficient of digestibility of silage total fatty acids; IVSD is starch digestibility (by NIRS at 7-hour and sample ground through a 4-mm sieve) expressed as % of starch; and NDFD30.

Use of OMDI: The OMD index is intended to represent the digestible portion of silage dry matter and is based on chemical analyses. OMD does not represent the absolute digestibility of silage organic matter, but it is representative of the potentially digestible organic matter and can be used when comparing silage hybrids. Simply put, the higher the OMD value, the higher the overall expected digestibility of the silage. OMD reflects the digestibility of key nutrients within the entire plant. Producers without carryover of silage should consider the interaction of OMD and DOM (digestible organic matter yield per acre) as yield of digestible organic matter will be equally as relevant as OMD.

#### Conclusion

Organic matter digestibility is not a new measure. For years, researchers and nutritionists have used digestibility estimates to formulate rations for dairy cattle. Today, integrating these data is a useful practice to gauge silage value and match hybrid to farm needs. Put simply, OMD measures whole plant digestibility. Emphasis is on digestibility of all main nutrients. In the end, we hope OMD serves to facilitate discussion among producer, seed consultant, and dairy nutritionist as to which hybrids offer the best nutrient value for dairy cows.